



LEGEND


- SITE PLAN BOUNDARY
- MAINTENANCE HOLE (MH) AS PER T-701.010 - 701.0130
- ▣ CATCH BASIN (CB) T-705.010-1
- AREA DRAIN (AD) (WATTS FD-450 - 6"-5 WITH SEDIMENT TRAP, OR APPROVED EQUIVALENT)
- ▨ TRENCH DRAIN (TD) (WATTS, DEAD LEVEL-P-CO-GS WITH WATTS B6-FG CATCH BASIN, OR APPROVED EQUIVALENT)
- ▩ STORMTANK STORMWATER MANAGEMENT SYSTEM BY BRENTWOOD INDUSTRIES, OR APPROVED EQUAL
- VALVE BOX (VB) T-1101.02-2

GENERAL NOTES


1. THIS DRAWING IS NOT INTENDED FOR BUILDING PERMIT APPLICATION OR CONSTRUCTION.
2. PRIOR TO COMMENCING ANY WORK WITHIN THE MUNICIPAL RIGHT OF WAY THE CONTRACTOR, OR DEVELOPER WILL OBTAIN ALL NECESSARY ROAD OCCUPANCY PERMITS FROM THE CITY'S RIGHT-OF-WAY MANAGEMENT UNIT. CONTACT 416-394-8418.
3. ALL PROPOSED SERVICE CONNECTIONS FOR SANITARY, STORM, AND WATER WITHIN THE MUNICIPAL ROAD ALLOWANCE PORTION OF THE STREET SHALL BE INSTALLED BY THE CITY OF TORONTO OR ITS CONTRACTORS AND PAID FOR BY THE OWNER. THE OWNER TO INITIATE THE PROCESS BY FILING WITH TORONTO WATER - OPERATIONS A WRITTEN REQUEST FOR THE ABOVE MENTIONED SERVICE CONNECTIONS.
4. SITE WATER SERVING TO COMPLY WITH TORONTO MUNICIPAL CODE WATER SUPPLY CHAPTER 851, SCHEDULE 5 - BACKFLOW PREVENTION DEVICE FOR PREMISE ISOLATION, FOR MODERATE HAZARD LEVEL SCENARIOS.
5. THE BUILDING STORM AND SANITARY SYSTEM MUST BE DESIGNED TO BE ABLE TO OPERATE UNDER MUNICIPAL SEWER SURCHARGE CONDITIONS.
6. EXISTING SERVICE CONNECTIONS SHOULD BE DETACHED AS PER TORONTO WATER DIRECTION.
7. THE METHOD OF INSTALLATION FOR THE PROPOSED SERVICE CONNECTIONS WILL BE AT THE DISCRETION OF THE TORONTO WATER DIVISION.
8. THE LOCATION OF THE METER SHALL BE TO TORONTO WATER'S SATISFACTION.
9. THE LIMITS OF THE CONSTRUCTION WITHIN THE CITY RIGHT OF WAY ARE AT THE DISCRETION OF THE CITY INSPECTOR.
10. ALL WORK SHOULD CONFORM TO THE LATEST CITY OF TORONTO STANDARD DRAWINGS AND SPECIFICATIONS OR ONTARIO STANDARD DRAWINGS AND SPECIFICATIONS. THE CITY OF TORONTO STANDARDS AND SPECIFICATIONS SHOULD BE USED IN PLACE OF ONTARIO STANDARD DRAWINGS AND SPECIFICATIONS WHEREVER THERE IS A CITY OF TORONTO STANDARD.



SECTION A-A
PROPOSED STORM SERVICE CONNECTION
VER 1:100
HOR 1:200



SECTION B-B
PROPOSED SANITARY AND WATER SERVICE CONNECTIONS
VER 1:100
HOR 1:200



SECTION DET-1
STORM TANK STORM WATER DETENTION TANK DETAIL
N.T.S.

NOT APPROVED FOR CONSTRUCTION

No.	Date	Revisions	By	Signed
10				
9				
8				
7				
6				
5				
4				
3				
2				
1	APR 01/13	ISSUED FOR S.P.A.	JC	

Seal: _____



230 Richmond Street West
5th Floor
Toronto, Ontario
Canada M5V 1V6
Tel (416)596-1930
FAX(416)596-0644

WESLEY MIMICO UNITED CHURCH

WESLEY MIMICO PLACE
2 STATION ROAD
COMBINED SERVICES PLAN (PUBLIC UTILITY PLAN)

Design:	JC	Drawn:	JC	Checked:	MG	33897
AS NOTED		Date:	MARCH 2013	Drawing Number:	C-01	